

**ROBINS  
ROBINS  
ROBINS  
ROBINS®**

**CATALOG RDD-646**

**ACCESSORIES FOR  
PUNCHED TAPES  
MAGNETIC TAPES  
EDGE-PUNCHED CARDS**

HAND ENCODER


SPLICERS

SPLICING PATCHES

REELS AND STORAGE CONTAINERS FOR TAPE

**NEW!  
DATA CODER**

HAND HELD  
FIELD ENCODER  
CREATES AND  
CORRECTS DATA  
TAPES AND CARDS



MADE IN U.S.A.

COPYRIGHT 1964 BY

**ROBINS DATA DEVICES INC.**

SUBSIDIARY OF ROBINS INDUSTRIES CORP.

15-58 127th STREET, FLUSHING, N. Y., 11356



# **ROBINS®** **"GIBSON GIRL"®** **PUNCHED TAPE** **EDITING AND** **SPLICING KITS**

U.S. PATENT NO. 2,778,420, PAT. PEND.



- FOR OILED, OIL FREE, AND MYLAR TAPES
- SPLICES WITHOUT LOSING A SINGLE CODE
- RAPID ACCURATE EDITING AND SPLICING
- PRODUCES "GIBSON GIRL" SHAPE SPLICES FOR SMOOTH MACHINE FEED
- CLEAN AND SIMPLE FOR OPERATION BY OFFICE PERSONNEL — NO HEAT OR MESSY GLUE

- Robins Perforated Tape Splicers and Splicing System incorporates many of the features of Robins "Gibson Girl" industrial magnetic tape splicers, which have become, due to their quality and dependability the "standard of the magnetic tape industry.
- Cuts precision Vertical Cut on both ends of tape for perfect butted edges or makes splices without loss of data. Trims "Gibson Girl"® waists on both sides of the splice which prevents adhesive from contacting parts of equipment.
- The pre-punched pressure sensitive Polyester Splicing Patches supplied are cut to length and ready to apply. They produce splices of higher tensile strength than paper tape. Adhesive is carefully engineered to control tackiness, thickness, and cold flow.
- This splicing system can be adapted to the individual user's needs for either minimum time per splice or maximum strength of splices.
- Robins "Gibson Girl" Punched Tape Splicers are ruggedly constructed for industrial or office use. Mounted on a heavy cast base with precision "Vertical Cut" and "Gibson Girl" Trim Blades. Each unit has precise blade centering adjustment, and replaceable blades for easy maintenance.

**NOTE:**


**STRAIGHT TRIM PUNCHED TAPE SPLICERS ARE AVAILABLE FOR TAPE READERS THAT USE AN EDGE TAPE FEED METHOD (N.C.R., DIGITRONICS, OMNITRONICS, ETC.) COST IS THE SAME AS THE STANDARD PUNCHED TAPE SPLICERS, HOWEVER, A STRAIGHT TRIM MUST BE SPECIFICALLY REQUESTED WHEN ORDERING.**

"GIBSON GIRL"® PUNCHED TAPE SPLICING KITS contain :

- One Punched Tape Splicer.
- One Burnishing Roller.
- 50 All Perforated Polyester Splicing Patches.
- Complete Instruction Manual including reorder information.

No. of Channels and Width of tape	ROBINS KIT #	ROBINS PATCHES FOR PAPER TAPES	ROBINS PATCHES FOR MYLAR TAPES	OPAQUE PATCHES AVAILABLE ON REQUEST
5 Channel 11/16"	#TSPK-5	#STP-5	#STM-5	
6 Channel 7/8"	#TSPK-6	#STP-6	#STM-6	
7 Channel 7/8"	#TSPK-7	#STP-7	#STM-7	
7 Channel 1"	#TSPK-7A	#STP-7A	#STM-7A	
8 Channel 1"	#TSPK-8	#STP-8	#STM-8	

Available in packages of 100, 500, and 1000.




## **CARRYING AND STORAGE CASE FOR ROBINS GIBSON GIRL® TAPE EDITING KITS**

Order this practical carrying and storage case for Tape Editing Kits. Case has provisions for securing splicer, burnishing roller, and splicing patches. Keeps all accessories in order, protects equipment from dust and damage. Splicer can be operated in case. Dimensions of case: 7 3/4" x 11 1/2" x 2 1/8".

Order Case #TSC-2

**OUR SPECIAL DEVICES DEPARTMENT IS EQUIPPED TO MODIFY THESE UNITS TO MEET ANY SPECIAL REQUIREMENTS OR BUILD ANY ACCESSORIES YOU MAY REQUIRE.**



**NEW!****ROBINS® DATA CODER PAT. PEND.****A NEW COMMUNICATIONS TOOL****HAND HELD FIELD ENCODER FOR CREATING AND EDITING DATA**

Avoid costly transcription errors in your data collection process. Don't waste time transcribing written information to punched tapes or edge punched cards. Encode directly into "machine language". Correct or edit existing punched information by simply "erasing" or by applying a patch and repunching new data. Create numerical control and automation tapes in the shop, at the machine.

Robins Data Devices, Inc. is proud to introduce its new "DATA-CODER", a hand held field encoder which creates or corrects edge punched cards and 5, 6, 7, and 8 channel punched tapes at any time, any place.

There are thousands of uses for ROBINS DATA CODER in electro-data-processing, teletype, dataphone, graphic arts, machine tool programming, computer programming, etc. Now scientists and engineers in the field and lab, meter readers, factory personnel,

computer technicians, reservation clerks, and hundreds of others can punch data as it develops without transcription errors and without "tying-up" expensive encoding equipment.

You can get data to management faster from your E.D.P. system. Information from sales and branch offices, production, etc. need not get stale while waiting to be transcribed.

With ROBINS DATA CODER, critical data may be added to systems without delay; scientific information, inventories, money or security accounts, cost factors, production, job time, cost analysis, etc.

There is no longer the necessity of carrying cards or tapes to central computer rooms or departments. Just make any and all corrections on the spot. The simplicity of operation permits this encoder to be used by anyone, anytime, anywhere.



# ROBINS DATA CODER

ROBINS DATA CODER is a high precision 8 channel (plus feed hole) field encoder for 5, 6, 7, and 8 channel punched tapes as well as edge punched cards. All operating parts are completely encased within a durable metal housing. This compact hand encoder has a code wheel with standard numeric codes plus extra bits permitting coding of ANY alpha-numeric or other code. Two blank spaces are left on the standard code wheel which may be custom encoded. To meet special needs, custom code wheels containing any 18 predetermined codes can be supplied (code wheels are easily interchangeable). A selector knob located at the front of the unit allows for prompt and easy selection of the code desired while an indicator window at the top front shows exactly which code is being punched. After each operation, the card or tape is automatically fed to the next punching position. Chad chamber for clean operation can be easily emptied.


ROBINS DATA CODER is also ideal for erasing (all punch) or editing existing tapes or cards. By using Robins special, feed hole perforated Data Saver Patch (DSP-3), you are now able to repunch any new or corrected data without punching completely new tapes or cards.

Accessories for ROBINS DATA CODER include: A padded carrying and storage case for the safer and easier transportation and storage of each unit; A clip-on chain so the Punch may be carried attached to the belt for prompt usage at any spot at any time, and prevents accidental dropping of the unit; and a heavy cast iron stand for holding the unit when the encoder is to be used on a desk or table. This allows the operator the maximum of freedom in using his or her hands.


## ROBINS DATA CODER

Weight.....2 lbs.  
Shipping Weight.....4 lbs.  
Dimensions.....7 $\frac{3}{4}$ " x 3 $\frac{7}{8}$ "


ROBINS PART NO.	DESCRIPTION
#DC-1.....	Tape and Card Punch
#SCC-1.....	Individual Custom Codes on Standard Code Wheel
#CCW-2.....	Custom Code Wheel (18 Codes)
#DSP-3.....	Patching Strips (9" long) (Feed Hole Perforated) Available in quantities of 100, 500, and 1000
#HPC-1.....	Carrying and Storage Case
#HEC-2.....	Clip-On Chain
#HPS-1.....	Stand



Robins special devices department is always ready to help you solve your specialized E.D.P. accessory problems. Send us your requirements.



There are thousands of uses for ROBINS DATA CODER in machine tool programming




computer programming



graphic arts




reservation clerks



scientists and engineers in the field and lab



## ECONOMY PUNCHED TAPE SPLICER



## ROBINS® GIBSON GIRL JR. PUNCHED TAPE SPLICER

**MAKE BUTT SPLICES IN SECONDS  
CORRECT, EDIT, LOOP OR REPAIR  
ANY 5, 6, 7, AND 8 CHANNEL  
PUNCHED TAPES.**

For installations where economy and portability are prime considerations, ROBINS GIBSON GIRL JR. (TSPK-JR) is a quick, efficient, economical method of "Butt Splicing" 5, 6, 7, and 8 channel paper, oiled paper, and mylar punched tapes used with computers, communications equipment, automated machinery, programming equipment, data processing and collection systems, etc.

Six precision feed hole pins are set within a satin chrome splicing block for exact alignment of tape and splicing patch. The GIBSON GIRL JR. is mounted on a heavy cast base with rubber bumpers for safe and easy operation on tables or desks. By removing the two thumb screws holding the splicing block to the base, this unit can be easily carried to any location desired.

A precision cutting groove accurately guides a hand held razor type blade permitting this unit to be used for editing, correcting, attaching ends of rolls, looping, and repairing of tapes.

The GIBSON GIRL JR.'s clean and simple operation (no heat or messy glues) permits this unit to be used by anyone, anytime, anywhere with the assurance of a clean well bonded splice.

These units may be used in conjunction with any Robins splicing patches.

ROBINS GIBSON GIRL JR.....Cat. No. TSPK-JR

### ROBINS NEW SPLICING PATCHES—ALL STANDARD CODE AND FEED HOLE PERFORATED—CUT TO 1" LENGTHS

#### FOR PAPER AND OILED PAPER TAPES

CAT. NO.	WIDTH OF PATCH	PKG. OF
APP-5	11/16"	100 500 1000
APP-6	7/8"	
APP-7	7/8"	
APP-7A	1"	
APP-8	1"	

#### FOR MYLAR TAPES

CAT. NO.	WIDTH OF PATCH	PKG. OF
APM-5	11/16"	100 500 1000
APM-6	7/8"	
APM-7	7/8"	
APM-7A	1"	
APM-8	1"	

(FOR ADVANCED FEED HOLE PATCHES - SEE PAGE 8)





**REELS FOR MAGNETIC TAPE**

Illustration	Part No.	Tape Width	Reel Outside Dia.	Hole Dia. or Hub Type	Special Features	Material	Packaging
A	TR-20	1/4"	2"	5/16"		Styrene	Ind. Fold Box
A	TR-25	1/4"	2 1/2"	5/16"		Styrene	Ind. Fold Box
B	TR-30	1/4"	3"	5/16"		Styrene	Ind. Fold Box
A	TR-32	1/4"	3 1/4"	5/16"		Styrene	
C	TR-50	1/4"	5"	5/16"		Styrene	Ind. Setup Box
D	TR-70	1/4"	7"	5/16"		Styrene	Ind. Setup Box
E	TR-105N	1/4"	10 1/2"	N.A.B.		Fiberglass	Ind. Setup Box
E	TR-105R	1/4"	10 1/2"	5/16"		Fiberglass	Ind. Setup Box
Not Illus.	TR-115M	1"	10 1/2"	N.A.B.		Fiberglass	
* F	* TR-155C	1/2"	10 1/2"	I.B.M.	With Card Holder	Styrene	Ind. Box
* E	* TR-155F	1/4"	10 1/2"	I.B.M.	Without Card Holder	Fiberglass	Ind. Box
Not Illus.	TR-155N	1/2"	10 1/2"	N.A.B.		Fiberglass	
* F	* TR-155P	1/2"	10 1/2"	I.B.M.	Without Card Holder	Styrene	Ind. Box

**REELS FOR PAPER TAPE**

L	TR-115L	1"	10 1/2"	N.A.B.	One Flange & Removable Ring	Lexan	
L	TR-115S	1"	10 1/2"	N.A.B.	One Flange & Removable Ring	Styrene	
J	TR-750L	1"	7 1/2"	1/2"	Removable Flange	Lexan	
J	TR-750S	1"	7 1/2"	1/2"	Removable Flange	Styrene	
I	TR-800	1 1/16"	8"	N.A.B.	Removable Flange	Lustran	
I	TR-801	1"	8"	N.A.B.	Removable Flange	Lustran	
K	TR-850L	1"	8 1/2"	1/2"	Removable Flange	Lustran	
K	TR-850S	1"	8 1/2"	1/2"	Removable Flange	Styrene	

**CANNISTERS FOR STORAGE OF TAPES**

M	TC-5	Metal, for reels for 1/4" tapes up to 5" dia. Ribs on cans nest for stacking					
N	TC-7	Metal, for reels for 1/4" tapes up to 7" dia. Ribs on cans nest for stacking					
* G	* TC-105	Plastic, Clear, Square for 1/2" tapes up to 10 1/2" dia. with N.A.B. or I.B.M. Hub					
* H	* TC-105B	Plastic, Clear, Round for 1/2" tapes up to 10 1/2" dia. with I.B.M. Hub					
* G	* TC-105F	Plastic, Clear, Square for 1/2" tapes up to 10 1/2" dia. with N.A.B. or I.B.M. Hub					
		Rubber Tape Retainer Finger					
* G	* TC-115	Plastic, Clear, Square for 1/2" tapes up to 10 1/2" dia. with N.A.B. or I.B.M. Hub					
* G	* TC-115F	Plastic, Clear, Square for 1" tapes up to 10 1/2" dia. with I.B.M. or N.A.B. Hub					
		Rubber Tape Retainer Finger					

\*Quantity Price on Application.

\* These items were not yet available at presstime.



## MAGNETIC TAPE SPLICER

# ROBINS® GIBSON GIRL® INDUSTRIAL MAGNETIC TAPE SPLICING KITS


FOR RAPID EDITING AND REPAIRING OF  
COMPUTER, INDUSTRIAL, AND SPECIAL PURPOSE  
MAGNETIC TAPES UP TO 1" WIDE.

U.S. PATENT NO. 2,778,420

A complete efficient editing and repairing kit containing ruggedly constructed splicer for industrial use. Mounted on a heavy cast base with all the precision features that have become the accepted standard of professional and industrial users.

Robins® "Gibson Girl"® Magnetic Tape Splicers feature tape guide and arms to secure tape during operation. A precision Cut is made at both ends of the tape for perfect butted edges. The "Gibson Girl" Trim produces slight concave indentations or waists on both sides of the splice. This prevents adhesive from contacting critical parts of the recorder or reading equipment. Adhesive deposited on critical parts of recorder is a frequent cause of erratic operation.

The "Gibson Girl"® Industrial Magnetic Tape Splicers work on the principle of the steel rule die. Each splicer has a cutter cartridge housing three long life blades which are replaceable. The operating lever has two knob controlled operating positions for Cut and Trim. Each unit has precise blade centering adjustment, A special burnishing plate on the base of the splicer and burnishing roller are provided.



Each Kit contains:

- Magnetic tape splicer
- Burnishing roller
- Supply of 3 rolls of special formula Mylar Splicing Tape
- Complete instructions and reorder information

Width of Magnetic Tape	KIT NO.	ROBINS SPLICING TAPE TO BE USED
1/4"	#TSMK-250	#ST-500
1/2"	#TSMK-500	#ST-500
5/8"	#TSMK-625	#ST-500
3/4"	#TSMK-750	#ST-750
7/8"	#TSMK-875	#ST-750
1"	#TSMK-1000	#ST-750

Splacers of the above standard kits feature precise Diagonal Cut Blade. Splicers requiring Vertical (90°) cut are available on special order.

Order Case #TSC-2 for Tape Editing Kits.

## ROBINS DATA SAVER

# ROBINS® DATA SAVER EDGE-PUNCHED CARD CORRECTION AND REINFORCEMENT SYSTEM PAT. PEND.


Using ROBINS® "DATA-SAVER", cards do not have to be discarded if coded information must be changed. Simply cover up areas to be corrected with a precision patch and repunch new information, (e.g. new prices and changes in addresses, etc.), into existing cards. Costly time and errors of repunching completely new cards and transferring written data on cards are eliminated.

New cards can be reinforced at sprocket contact area to extend their life and save valuable coded data. "DATA-SAVER" can also be used for correcting tapes.\*

The Repair Table features an easy-to-use precision patch cutter, accurately calibrated scales and pins eliminating time consuming "guesswork". It provides exact measurements and location of area to be corrected and length of patches required.

ROBINS® "DATA-SAVER" SYSTEM is a complete efficient repair kit containing:

- Patch moistener
- Anodized Aluminum repair table
- Precision patch cutter
- Supply of 25—9" long patching strips
- Burnishing roller
- 1 oz. eye-dropper bottle of ROBINS Data-Saver Fluid
- Complete instructions
- Carrying and storage case. (Removable cover permits Data Saver to be used in case).
- Order Complete Kit #DSK-1



Dimensions: Repair table—10" x 11 1/2"

Case—10 7/8" x 12 7/8" x 2 3/4" Weight in case—8 lb

DATA-SAVER PATCHES—Special gummed paper—feed hole perforated, 9" long . . . #DSP-3 available in packages of 100, 500, and 1000.

#DSP-WA . . . Data-Saver Fluid, 1 oz. bottle.

\*Special patches available for correcting paper and Mylar tapes made to order.

## SEND US YOUR PROBLEMS!

If a general price change will make your bank of 5,000 to 100,000 Cards obsolete. DON'T THROW THEM AWAY. LET US ENGINEER A COST SAVING SYSTEM FOR REVISING THEM.



## ADVANCED FEED HOLE PATCHES


# ADVANCED FEED HOLE SPLICING PATCHES FOR PUNCHED TAPES

FOR THE GRAPHIC ARTS, TELETYPE, AND AUTOMATED MACHINERY FIELDS, ETC.

Your only source of Punched Tape Splicing Patches for Advanced Feed Hole Punched Tapes for the Graphic Arts, Teletype, and Automated Machinery Fields.


- Cut to 1" lengths for ease of application
- Patches available in widths of 11/16", 7/8", and 1"
- Preperforated for use on 5, 6, 7, and 8 channel paper, oiled paper and mylar punched tapes
- Feed holes advanced to close tolerance required
- Pressure sensitive adhesive. Peel the backing paper away and the patch is ready to apply
- Clean and simple to apply (no heat or messy glues)
- Carefully engineered adhesive to control tackiness, thickness, and cold flow

ADVANCED FEED TAPE



FEED HOLE ADVANCED .020  
FROM CODE HOLE

STANDARD TAPE




CODE AND FEED HOLES  
ON ONE CENTER LINE

## ROBINS® ADVANCED FEED HOLE PATCHES

ALL CODE AND FEED HOLE PERFORATED—CUT TO 1" LENGTHS

FOR PAPER AND OILED PAPER TAPES


	WIDTH OF PATCH	PKG. OF
FHP-5	11/16"	100 500 1000
FHP-6	7/8"	
FHP-7	7/8"	
FHP-7A	1"	
FHP-8	1"	



FOR MYLAR TAPES

	WIDTH OF PATCH	PKG. OF
FHM-5	11/16"	100 500 1000
FHM-6	7/8"	
FHM-7	7/8"	
FHM-7A	1"	
FHM-8	1"	

## MAGNETIC TAPE ACCESSORIES



1. **MAGNETIC BULK ERASER** — Completely erases recorded and unwanted signals in seconds. Reduces background noise levels from 3 to 6 db below normal erase level. For reels up to 10 1/2" dia. x 1/2" wide. 110 v., 60 cycle A.C.; U.L. Listed  
#ME-99
2. **HEAD DEMAGNETIZER** — U.L. Listed. Removes signal damaging residual magnetism from tape head — for optimum signal to noise ratio. Easy to use. 110 volts, 60 cycle A.C.  
#HD-6
3. **CLEAN-TIPS**. For cleaning tape heads and 1001 other uses. Finest surgical cotton (non-sterile) wound on 6" long sticks.  
#Q-100 ..... Package of 100
4. **TAPE KARE HEAD CLEANER AND LUBE KIT**. Contains 2 oz. bottles of head cleaner and head and guide lubricant. #TK-6  
**REEL LABELS**. Self stick adhesive. Write on or type titles, etc.  
#SL-30 ..... (Package of 30 labels)
5. **TAPE KARE CHEMICAL KIT** — Contains 2 oz. bottles of head cleaner, head and guide lubricant, Non-Slip for tape and phono drives, and tape and phono drive oil. With 50 clean tips. #TK-7

6. **TAPE HOLDING CLIPS**. Keep tape from unwinding. Pkg. of 12.  
#TC-12
6. **TAPE "JOCKEY CLOTH"** cleans and lubricates tape with Silicone. Washable and reusable.  
#JCT-2
7. **TAPE KARE KIT** contains head cleaner and tape jockey cloth.  
#TK-2
8. **HEAD CLEANER** removes grime and accumulated oxides from heads.  
#HC-2 ..... 2 oz. bottle  
**RECORDING HEAD AND GUIDE LUBRICANT**. Silicon base liquid provides friction-free tape path, reducing head and tape wear.  
#RC-2-22 ..... 2 oz. bottle  
**TAPE AND PHONO DRIVE OIL**. For rotating and moving parts. Inhibits rust and oxidation.  
#RC-2-23 ..... 2 oz. bottle  
**NON-SLIP FOR TAPE AND PHONO DRIVES**. Helps stop slippage of idler wheels, pulley belts, and cords. Fast drying and penetrating, dries to tack-free yet non-slip surface.  
#RC-2-56 ..... 2 oz. bottle

## ROBINS DATA DEVICES, INC.

15-58 127th STREET • FLUSHING, N. Y., 11356

RETURN REQUESTED

### SEND US YOUR PROBLEMS

WHEN YOU HAVE A SPECIALIZED PROBLEM, LET ROBINS SPECIAL DEVICES DEPARTMENT ENGINEER A COST SAVING SYSTEM TO MEET YOUR REQUIREMENTS. YOUR INQUIRY IS ALWAYS WELCOME.



# ROBINS DATA DEVICES, INC.


15-58 127th STREET • FLUSHING, N.Y., 11356 • Tel. 212 HICKORY 5-7200

PRICE LIST NO. **RDD-646P**

EFFECTIVE: JUNE 15, 1964

## ACCESSORIES FOR • PUNCHED TAPES • MAGNETIC TAPES • EDGE-PUNCHED CARDS

HAND ENCODER • SPLICERS • SPLICING PATCHES • REELS AND STORAGE CONTAINERS FOR TAPE



### NEW! ROBINS® EDP TAPES

Paper, oiled paper and laminated mylar tapes. Tape durable enough to be run repeatedly through any E.D.P. equipment. Manufactured in three separate widths, each in six different colors. A complete line is kept in stock for immediate delivery. The tape will work perfectly with any type of tape system.

UNOILED PAPER TAPES APPROX. LENGTH EACH ROLL - 1000 FT.				OILED PAPER TAPES APPROX. LENGTH EACH ROLL - 1000 FT.			
CATALOG #	COLOR	WIDTH	NET	CATALOG #	COLOR	WIDTH	NET
PTU-1	PINK	11/16"	.95 / ROLL	PTO-1	PINK	11/16"	.95 / ROLL
PTU-2	YELLOW	11/16"	.95 / ROLL	PTO-2	YELLOW	11/16"	.95 / ROLL
PTU-3	GREEN	11/16"	.95 / ROLL	PTO-3	GREEN	11/16"	.95 / ROLL
PTU-4	GRAY	11/16"	.95 / ROLL	PTO-4	GRAY	11/16"	.95 / ROLL
PTU-5	BLUE	11/16"	.95 / ROLL	PTO-5	BLUE	11/16"	.95 / ROLL
PTU-6	BUFF	11/16"	.95 / ROLL	PTO-6	BUFF	11/16"	.95 / ROLL
PTU-7	PINK	7/8"	1.08 / ROLL	PTO-7	PINK	7/8"	1.08 / ROLL
PTU-8	YELLOW	7/8"	1.08 / ROLL	PTO-8	YELLOW	7/8"	1.08 / ROLL
PTU-9	GREEN	7/8"	1.08 / ROLL	PTO-9	GREEN	7/8"	1.08 / ROLL
PTU-10	GRAY	7/8"	1.08 / ROLL	PTO-10	GRAY	7/8"	1.08 / ROLL
PTU-11	BLUE	7/8"	1.08 / ROLL	PTO-11	BLUE	7/8"	1.08 / ROLL
PTU-12	BUFF	7/8"	1.08 / ROLL	PTO-12	BUFF	7/8"	1.08 / ROLL
PTU-13	PINK	1"	1.33 / ROLL	PTO-13	PINK	1"	1.33 / ROLL
PTU-14	YELLOW	1"	1.33 / ROLL	PTO-14	YELLOW	1"	1.33 / ROLL
PTU-15	GREEN	1"	1.33 / ROLL	PTO-15	GREEN	1"	1.33 / ROLL
PTU-16	GRAY	1"	1.33 / ROLL	PTO-16	GRAY	1"	1.33 / ROLL
PTU-17	BLUE	1"	1.33 / ROLL	PTO-17	BLUE	1"	1.33 / ROLL
PTU-18	BUFF	1"	1.33 / ROLL	PTO-18	BUFF	1"	1.33 / ROLL
MYLAR LAMINATED TAPES Mylar is laminated between two layers of paper tape. LENGTH EACH ROLL - 980 FT.				PTM-1	BLUE	11/16"	24.85 / ROLL
				PTM-2	BLUE	7/8"	31.64 / ROLL
				PTM-3	BLUE	1"	33.00 / ROLL
PAPER (OPAQUE) TAPES APPROX. LENGTH EACH ROLL - 1000 FT.				VULCANIZED FIBER TAPES LENGTH EACH ROLL - 950 FT.			
PTB-1	BLACK	11/16"	1.10 / ROLL	PTF-1		11/16"	3.50 / ROLL
PTB-2	BLACK	7/8"	1.28 / ROLL	PTF-2		7/8"	4.28 / ROLL
PTB-3	BLACK	1"	1.51 / ROLL	PTF-3		1"	4.78 / ROLL



NOTE: Splicers and Patches listed below are for commonly used configurations- Splicers and Patches for other configurations available on special orders. Send for quotation.

ROBINS® "GIBSON GIRL"® PUNCHED TAPE SPLICING KITS

KIT NO.	NUMBER OF CHANNELS	TAPE WIDTH	NET
#TSPK-5	5	11/16"	\$125.00
#TSPK-6	6	7/8"	125.00
#TSPK-7	7	7/8"	125.00
#TSPK-7A	7	1"	125.00
#TSPK-8	8	1"	125.00

SPLICERS WITH STRAIGHT TRIM MUST BE REQUESTED WHEN ORDERING - COST SAME AS TSPK SERIES

ROBINS SPLICING PATCHES FOR PAPER PUNCHED TAPES				ROBINS SPLICING PATCHES FOR MYLAR PUNCHED TAPES				CARRYING AND STORAGE CASE FOR PUNCHED TAPE SPLICING KITS -
PATCH #	FOR NUMBER OF CHANNELS	PKG. OF	NET	PATCH #	FOR NUMBER OF CHANNELS	PKG. OF	NET	
#STP-5	5	100	3.00	#STM-5	5	100	3.50	#TSC-2 NET.... 15.00
#STP-6	6	500	10.00	#STM-6	6	500	12.00	
#STP-7	7	1000	15.00	#STM-7	7	1000	17.50	
#STP-7A	7			#STM-7A	7			
#STP-8	8			#STM-8	8			

REPLACEMENT PARTS FOR PUNCHED TAPE SPLICERS

#CA-TSPK-*	Replacement Cartridge .....	\$35.00
#FHP-TSPK-	Feed Hole Pins .....	.50
#BR-2	Burnishing Roller .....	2.00
#RB-TSPK	Replacement Blades for all models (one set of 3) .....	.75
#RP-TSPK	Replacement Cutter Pads for all models .....	ea. 2.00

\* Indicates number of channels of tape (Please indicate width of tape with your order).

ROBINS® DATA CODER FOR CREATING AND EDITING PUNCHED TAPES AND EDGE PUNCHED CARDS

#DC-1 ..... NET \$295.00\*

\* Plus Federal Excise Tax.

ROBINS® DATA CODER ACCESSORIES:

#SCC-1	Individual Custom Codes on Standard Code Wheel .....	ea. 5.00
#CCW-2	Custom Code Wheel (18 Codes) .....	60.00
#DSP-3	Patching Strips (9" long)(Feed Hole Perforated) Pkg. of 100...	9.00
	Pkg. of 500...	30.00
	Pkg. of 1000..	45.00
#HPC-1	Carrying and Storage Case .....	20.00
#HEC-2	Clip-On Chain .....	3.75
#HPS-1	Stand .....	15.00

NOTE: When ordering Custom Codes on Standard Code Wheel or for Custom Code Wheel (18 Codes), please indicate codes desired.

ROBINS® "GIBSON GIRL JR." PUNCHED TAPE SPLICER FOR 5, 6, 7, AND 8 CHANNEL TAPES

#TSPK-JR ..... NET 35.00

MINIMUM ORDER \$10.00



STANDARD FEED AND CODE HOLE PREPUNCHED PATCHES							
FOR PAPER AND OILED PAPER TAPES				FOR MYLAR TAPES			
PATCH #	WIDTH OF PATCH	PKG. OF	NET	PATCH #	WIDTH OF PATCH	PKG. OF	NET
#APP-5	11/16"	100	\$4.50	#APM-5	11/16"	100	\$5.00
#APP-6	7/8"	500	11.50	#APM-6	7/8"	500	13.50
#APP-7	7/8"	1000	16.50	#APM-7	7/8"	1000	19.00
#APP-7A	1"			#APM-7A	1"		
#APP-8	1"			#APM-8	1"		
ROBINS® ADVANCED FEED HOLE SPLICING PATCHES ADVANCED FEED AND CODE HOLE PREPUNCHED PATCHES							
FOR PAPER AND OILED PAPER TAPES				FOR MYLAR TAPES			
PATCH #	WIDTH OF PATCH	PKG. OF	NET	PATCH #	WIDTH OF PATCH	PKG. OF	NET
#FHP-5	11/16"	100	5.00	#FHM-5	11/16"	100	5.50
#FHP-6	7/8"	500	12.00	#FHM-6	7/8"	500	14.00
#FHP-7	7/8"	1000	17.00	#FHM-7	7/8"	1000	19.50
#FHP-7A	1"			#FHM-7A	1"		
#FHP-8	1"			#FHM-8	1"		
ROBINS® "GIBSON GIRL" MAGNETIC TAPE SPLICING KITS				REPLACEMENT CUTTER PADS FOR MAGNETIC TAPE SPLICERS			
KIT NO.	TAPE WIDTH	NET		CUTTER PAD #	FOR SPLICER #	NET	
#TSMK-250	1/4"	90.00		#RP-250	#TSMK-250	2.00	
#TSMK-500	1/2"	90.00		#RP-500	#TSMK-500	2.00	
#TSMK-625	5/8"	90.00		#RP-625	#TSMK-625	2.00	
#TSMK-750	3/4"	90.00		#RP-750	#TSMK-750	2.00	
#TSMK-875	7/8"	90.00		#RP-875	#TSMK-875	2.00	
#TSMK-1000	1"	90.00		#RP-1000	#TSMK-1000	2.00	
ROBINS® SPLICING TAPES FOR MAGNETIC TAPE SPLICERS							
TAPE #	SIZE	USE WITH	NET	TAPE #	SIZE	USE WITH	NET
#ST-500	1/2" X 100"	#TSMK-250 #TSMK-500 #TSMK-625	.50	#ST-750	3/4" X 100"	#TSMK-750 #TSMK-875 #TSMK-1000	.60
#TSC-2 CARRYING AND STORAGE CASE FOR MAGNETIC TAPE SPLICING KITS.....							15.00
REPLACEMENT PARTS FOR MAGNETIC TAPE SPLICERS (Models #TSMK-250 to #TSMK-1000)							
#CA-TSMK-*	Replacement Cartridge .....						25.00
#RB-1	Replacement Blades (12 blades to a package).....						3.35
#BR-2	Burnishing Roller .....						2.00
* Indicates number of channels of tape to be used with.							
#DSK-1 ROBINS® "DATA-SAVER" KIT FOR EDGE PUNCHED CARDS ..... NET 150.00							
DATA SAVER PATCHES - (Special gummed paper - feed hole, perforated, 9" long).							
				Package of 100 .....	NET	\$9.00	
#DSP-3				Package of 500 .....	NET	30.00	
				Package of 1000.....	NET	45.00	
#DSP-WA ROBINS DATA-SAVER FLUID - 1 oz. Bottle.....							1.00

MINIMUM ORDER \$10.00



# REELS FOR MAGNETIC TAPES

PART NO.	TAPE WIDTH	REEL OUTSIDE DIA.	HOLE DIA. OR HUB TYPE	SPECIAL FEATURES	MATERIAL	PACKAGING	NET
TR-20	1/4"	2"	5/16"	.....	Styrene	Ind. Fold Box	.20
TR-25	1/4"	2 1/2"	5/16"	.....	Styrene	Ind. Fold Box	.20
TR-30	1/4"	3"	5/16"	.....	Styrene	Ind. Fold Box	.20
TR-32	1/4"	3 1/4"	5/16"	.....	Styrene	.....	.30
TR-50	1/4"	5"	5/16"	.....	Styrene	Ind. Setup Box	.45
TR-70	1/4"	7"	5/16"	.....	Styrene	Ind. Setup Box	.55
TR-105N	1/4"	10 1/2"	N.A.B.	.....	Fiberglass	Ind. Setup Box	2.75
TR-105R	1/4"	10 1/2"	5/16"	.....	Fiberglass	Ind. Setup Box	2.75
TR-115M	1"	10 1/2"	N.A.B.	.....	Fiberglass	.....	9.75
* TR-155C	1/2"	10 1/2"	I.B.M.	With Card Holder	Styrene	Ind. Box	3.75
* TR-155F	1/4"	10 1/2"	I.B.M.	Without Card Holder	Fiberglass	Ind. Box	6.00
TR-155N	1/2"	10 1/2"	N.A.B.	.....	Fiberglass	.....	6.00
* TR-155P	1/2"	10 1/2"	I.B.M.	Without Card Holder	Styrene	Ind. Box	3.50

# REELS FOR PAPER TAPES

TR-115L	1"	10 1/2"	N.A.B.	1 Flange, Remov. Ring	Lexan	.....	8.50
TR-115S	1"	10 1/2"	N.A.B.	1 Flange, Remov. Ring	Styrene	.....	3.50
TR-750L	1"	7 1/2"	1/2"	Removeable Flange	Lexan	.....	3.75
TR-750S	1"	7 1/2"	1/2"	Removeable Flange	Styrene	.....	1.75
TR-800	11/16"	8"	N.A.B.	Removeable Flange	Lustran	.....	9.50
TR-801	1"	8"	N.A.B.	Removeable Flange	Lustran	.....	9.75
TR-850L	1"	8 1/2"	1/2"	Removeable Flange	Lustran	.....	2.25
TR-850S	1"	8 1/2"	1/2"	Removeable Flange	Styrene	.....	2.00

# CANNISTERS FOR STORAGE OF TAPES

TC-5	Metal, for reels for 1/4" tapes up to 5" dia. Ribs on cans nest for stack.	.45
TC-7	Metal, for reels for 1/4" tapes up to 7" dia. Ribs on cans nest for stack.	.65
* TC-105	Plastic, Clear, Square for 1/2" tapes up to 10 1/2" dia. with N.A.B. or I.B.M. Hub .....	6.75
* TC-105B	Plastic, Clear, Round for 1/2" tapes up to 10 1/2" dia. with I.B.M. Hub.	6.75
* TC-105F	Plastic, Clear, Square for 1/2" tapes up to 10 1/2" dia. with N.A.B. or I.B.M. Hub, Rubber Tape Retainer Finger .....	7.25
* TC-115	Plastic, Clear, Sq. for 1/2" tapes up to 10 1/2" dia. w/N.A.B. or I.B.M. Hub.....	7.25
* TC-115F	Plastic, Clear, Square for 1" tapes up to 10 1/2" dia. with I.B.M. or N.A.B. Hub, Rubber Tape Retainer Finger .....	7.25
* These items were not yet available at presstime. Quantity price on application.		

# ROBINS NO.

# TAPE RECORDER ACCESSORIES AND KARE KITS

# NET

#HC-2	Head Cleaner, 2 oz. bottle .....	.75
#HD-6	Head Demagnetizer, U.L. Listed .....	7.50
#JCT-2	Tape Jockey Cloth - Cleans and Lubricates Tapes.....	.75
#ME-99	Magnetic Bulk Tape Eraser, U.L. Listed .....	32.50
#Q-100	Clean Tips for cleaning tape recorder heads, etc. Package of 100 .....	.56
#RC-2-22	Tape Head and Guide Lubricant, 2 oz. bottle .....	.75
#RC-2-33	Tape Recorder Drive Oil, 2 oz. bottle .....	.56
#RC-2-56	Non-Slip for Tape Recorder Drives, 2 oz. bottle .....	.75
#SL-30	Self Stick Labels for indexing tape reels, etc. Package of 30 .....	.34
#TC-12	Tape Clips - prevents tapes from unwinding .....	.30
#TK-2	Tape Kare Kit - Head Cleaner and Tape Jockey Cloth .....	1.50
#TK-6	Tape Recorder Head and Guide Cleaning and Lube Kit .....	1.50
#TK-7	Tape Kare Kit - 2 oz. bottles of Head Cleaner, Head and Guide Lubricant, Tape Drive Oil, Non-Slip for tape recorder drives, and 50 Clean Tips.	2.81

MINIMUM ORDER - \$10.00

TERMS: 1/2% / 10 DAYS NET 30

F.O.B. FLUSHING, N. Y.

MADE IN U.S.A.

PRINTED IN U.S.A.